



Donner Metals Ltd

Number: 004-07
TSX Venture Exchange Symbol: DON
Frankfurt Stock Exchange Symbol: D4M

Dated: April 10, 2007

**COPPER-RICH MASSIVE SULPHIDES INTERSECTED
IN BRC-07-32 IN THE BRACEMAC ZONE**

Vancouver, B.C., April 10, 2007 – Further to the Company’s news release dated March 5, 2007, Mr. Harvey Keats, Chief Executive Officer of Donner Metals Ltd. (TSXV-DON), reports that assays from previously described drill hole **BRC-07-32 returned an average of 1.98% copper and 2.99% zinc over a 21.25 metre interval.** The interval is comprised of 17.05 metres of massive sulphide averaging 2.47 % copper, 3.72% zinc with 4.20 metres of internal barren dykes. This interval is underlain by an extensive alteration/stringer zone encountered over a 120.55 metre interval immediately below the sulphide horizon.

Drill hole BRC-07-32 is a 50 metre step-out to the west of the massive sulphides intersected in BRC-06-27 that returned an average of **13.98% zinc and 3.69% copper over 8.8 metres** (see news release dated January 19, 2007). Metal zonation, typical of VMS deposits, is clearly demonstrated in the results of the five reported intersections in the Bracemac Zone (see news release dated January 19, 2007, January 30, 2007 and March 5, 2007). Details of BRC-07-32 are provided in the table included in this news release.

Ongoing drilling at Bracemac is designed to outline the recently discovered Bracemac Zone and Upper Bracemac Zone in addition to testing the Key Tuffite, the historically productive horizon in the Matagami Mining Camp.

About the Matagami Project

Donner has the option to earn a 50% participating joint venture interest in the Matagami Project from Xstrata Zinc Canada (Xstrata Zinc) by incurring \$20 million of expenditures, plus an additional one time discovery bonus of up to \$3 million in additional exploration expenditures, on exploration and related work on or before May 31, 2011. Upon exercising the option, five separate joint ventures will be formed, covering the property and the area of interest. In each of the five joint venture areas, Xstrata Zinc has the option to earn back a 15% interest in such area by incurring up to \$20 million on a feasibility study.

The Matagami Mining Camp is a world-class mining district, with 18 known VMS deposits, including 10 past producers of varying sizes, including the giant Mattagami Lake deposit (25.64 million tonnes of 8.2% Zn, 0.56% Cu, 20.91 g/t Ag and 0.41 g/t Au).

Supplementary Information

The field work on the Matagami Project is being carried out by project operator Xstrata Zinc. Xstrata Zinc is responsible for the sampling and submittal of samples for assay. Assaying of samples reported in this news release was carried out and certified by ALS Chemex-Chimitec, of Val D’Or, Quebec (zinc, copper and silver by atomic absorption, and gold by standard fire assay procedures). Sample preparation was done by ALS Chemex of Val D’Or, Quebec. Robin Adair, VP of Exploration for the Company is the Qualified Person responsible for the technical information in this news release.

ON BEHALF OF THE BOARD OF
DONNER METALS LTD.

“Harvey Keats”
Chief Executive Officer

THE TSX VENTURE EXCHANGE HAS NOT REVIEWED AND DOES NOT ACCEPT RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE

Donner Metals Ltd.
157 Alexander Street, 3rd Floor, Vancouver, British Columbia, Canada V6A 1B8
Telephone: (604) 683-0564 Fax: (604) 602-9311 or Toll Free: 1-800-909-8311
E-mail: donner@bed-rock.com or Web: <http://www.donnermetals.com>

Bracemac

DDH (Depth)	UTM Location NAD 83 Zone 18	Angle / direction (True N)	Zone name – Mineral Type	From	To	Core length (metres)**	% Cu	% Zn	g/t Ag	g/t Au
BRC-07-32* (437.4m)	307184E 5505829N	-64 ° /027 °	BZ - MS	320.7	326.90	6.20	1.62	4.96	18.25	0.71
	barren dyke			326.90	329.20	2.30	0.02	0.04	0.45	0.00
			BZ - MS	329.20	330	0.80	7.87	3.17	61.70	0.52
	barren dyke			330	330.5	0.50	0.01	0.03	0.40	0.00
			BZ - MS	330.5	339.8	9.30	2.28	2.78	28.8	0.62
	barren dyke			339.8	341.2	1.40	0.03	0.06	0.90	0.01
			BZ - MS	341.2	341.95	0.75	6.05	5.62	61.9	0.25
	Total Composite			320.7	341.95	21.25	1.98	2.99	22.56	0.51
			BFW - S	349.0	362.2	13.2	0.29	1.98	8.55	0.05
				370.5	388.5	12.0	0.02	0.92	2.21	0.04
				411.95	423.2	11.25	0.17	1.62	6.09	0.07
				455.0	462.5	7.5	0.02	1.87	4.18	0.07

Zone: BZ (formerly “UT”) = Bracemac Zone, BFW = Bracemac Zone Footwall

Mineral Type: MS = massive sulphides

* - denotes holes drilled to test the Bracemac, Upper Bracemac zones only.

**all interval lengths are reported as “core lengths”. True lengths (true widths) are anticipated to be 80% to 90% of the core lengths.

Donner Metals Ltd.